


K-WAITING 2022

Design Rodolfo Dordoni

6280

16280

only on request




6285

swivel version

16285

only on request




FRAME

Painted steel


SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille



Bouclé



Removable cover

EN 1022:2005 Compliant

EN 1728:2012+AC2013 level reached

6.6 (maximum level) L2

6.10 (maximum level) L2

6.11 (maximum level) L2

6.15 (maximum level) L2

6.16 (maximum level) L2


6.17 (maximum level) L2

6.18 (maximum level) L2

6.20 (maximum level) L2

6.25 (maximum level) L2

6.26 (maximum level) L2




6280/16280 1 31.0 0.509 83X83X74

6285/16285 1 36.0 0.509 83X83X74

6281

16281 
only on request




FRAME

Painted steel

SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille




Bouclé



Removable cover

 **Fire tested version**
CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM MI1848D20D11M00032 (CHENILLE);
class 1IM MI1848D20D11M00033 (BOUCLÉ)



			
6281	1	77.0	1.430
16281	1	77.0	1.430

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.6	(maximum level) L2
6.10	(maximum level) L2
6.11	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.17	(maximum level) L2
6.18	(maximum level) L2
6.20	(maximum level) L2
6.25	(maximum level) L2
6.26	(maximum level) L2


K-WAITING 2022

Design Rodolfo Dordoni




6283

16283 
only on request



6284

16284 
only on request




FRAME

Painted steel


SEAT AND BACK

Fabric-upholstered polyurethane

Texture



Chenille



Bouclé



Removable cover

EN 1022:2005 Compliant

EN 1728:2012+AC2013 level reached

6.6 (maximum level) L2

6.10 (maximum level) L2

6.11 (maximum level) L2

6.15 (maximum level) L2

6.16 (maximum level) L2


6.17 (maximum level) L2

6.18 (maximum level) L2

6.20 (maximum level) L2

6.25 (maximum level) L2


6.26 (maximum level) L2



6283/6284	1	56.0	0.620	155X85X73
16283/16284	1	56.0	0.620	155X85X73

6282

16282 
only on request




FRAME

Painted steel

SEAT

Fabric-upholstered polyurethane

Texture



Chenille



Bouclé



Removable cover

 **Fire tested version**
CHENILLE/BOUCLÉ FABRIC - UK Standard BS 5852 S5, S.I. 1324
IT UNI 9175, EN1021 fire reaction test class 1 IM MI1848D20D11M00032 (CHENILLE);
class 1IM MI1848D20D11M00033 (BOUCLÉ)




6282
16282

1	17.3	0.285	47X78X78
1	17.3	0.285	47X78X78

EN 1022:2005	Compliant
EN 1728:2012+AC2013	level reached
6.4	(maximum level) L2
6.5	(maximum level) L2
6.15	(maximum level) L2
6.16	(maximum level) L2
6.18	(maximum level) L2
6.24	(maximum level) L2

K-WAITING CUSHIONS 2022

7180 Cushion



MATERIAL

Fabric-upholstered goose feather and down cushions

Texture



TB
Burgundy



TV
Green



TM
Brown



TG
Grey



TA
Sky blue

Chenille



DA
Beige



DB
Grey



DC
Burgundy



DD
Sage



DE
Sky blue

Bouclé



DF
Ecu



DG
Grey



DM
Brick red




DN
Sage



DP
Blue



Removable cover



7180


1

1.85


0.039

51X51X15

7175
Cushion



7176
Cushion



MATERIAL

Fabric-upholstered goose feather and down cushions

Jacquard



7175	1	1.85	0.039	51X51X15
7176	1	1.3	0.039	51X51X15